

FLACHSTAHL, gew. geb./BANDSTAHL, geschn. DIN 1017



| Abmessung in mm | kg/m | 4301/304 | | | 4571/316 TI |
|--------------------|------|----------|---------|--------------|-------------|
| | | gew. | geschn. | geschl. K240 | 4404/316 L |
| 10 x 3 | 0,24 | | ▼ | | |
| x 4 | 0,31 | | ▼ | | |
| x 5 | 0,39 | • | | | |
| 12 x 3 | 0,28 | | ▼ | | |
| 15 x 3 | 0,35 | | ▼ | | ▼ |
| x 4 | 0,47 | • | ▼ | | ▼ |
| x 5 | 0,59 | • | ▼ | | ▼ |
| x 6 | 0,71 | • | ▼ | | |
| x 8 | 0,94 | • | | | • |
| x 10 | 1,18 | • | | | • |
| 20 x 3 | 0,47 | • | ▼ | | ▼ |
| x 4 | 0,63 | • | ▼ | ▼ | ▼ |
| x 5 | 0,79 | • | ▼ | ▼ | ▼ |
| x 6 | 0,94 | • | ▼ | ▼ | ▼ |
| x 8 | 1,26 | • | ▼ | ▼ | • ▼ |
| x 10 | 1,57 | • | ▼ | • | • ▼ |
| x 12 | 1,88 | • | ▼ | | • |
| x 15 | 2,36 | • | | | • |
| 25 x 3 | 0,59 | • | ▼ | | ▼ |
| x 4 | 0,79 | • | ▼ | ▼ | ▼ |
| x 5 | 0,98 | • | ▼ | ▼ | ▼ |
| x 6 | 1,18 | • | ▼ | ▼ | ▼ |
| x 8 | 1,26 | • | ▼ | ▼ | ▼ |
| x 10 | 1,96 | • | ▼ | • | • ▼ |
| x 12 | 2,36 | • | ▼ | | • |
| x 15 | 2,94 | • | | | • |
| x 20 | 3,93 | • | | | • |
| 30 x 3 | 0,71 | • | ▼ | | ▼ |
| x 4 | 0,94 | • | ▼ | ▼ | ▼ |
| x 5 | 1,18 | • | ▼ | ▼ | • ▼ |
| x 6 | 1,41 | • | ▼ | ▼ | • ▼ |
| x 8 | 1,88 | • | ▼ | ▼ | • ▼ |
| x 10 | 2,36 | • | ▼ | ▼ | • ▼ |
| x 12 | 2,83 | • | ▼ | | • |
| x 15 | 3,53 | • | ▼ | | • |
| x 20 | 4,71 | • | | | • |
| 35 x 3 | 0,82 | | ▼ | | |
| x 4 | 1,10 | • | ▼ | | ▼ |
| x 5 | 1,37 | • | ▼ | ▼ | ▼ |
| x 6 | 1,65 | • | ▼ | | ▼ |
| x 8 | 2,20 | • | ▼ | ▼ | ▼ |
| x 10 | 2,75 | • | ▼ | ▼ | ▼ |
| x 12 | 3,30 | • | | | |
| x 15 | 4,12 | • | | | • |
| x 20 | 5,50 | • | | | |

EDELSTAHL

FLACHSTAHL, gew. geb./BANDSTAHL, geschn. DIN 1017



| Abmessung in mm | kg/m | 4301/304 | | | 4571/316 TI 4404/316 L | |
|--------------------|-------|----------|---------|--------------|---------------------------|---|
| | | gew. | geschn. | geschl. K240 | | |
| 40 x 3 | 0,94 | • | ▼ | | | ▼ |
| x 4 | 1,26 | • | ▼ | ▼ | | ▼ |
| x 5 | 1,57 | • | ▼ | ▼ | • | ▼ |
| x 6 | 1,88 | • | ▼ | ▼ | • | ▼ |
| x 8 | 2,51 | • | ▼ | ▼ | • | ▼ |
| x 10 | 3,14 | • | ▼ | ▼ | • | ▼ |
| x 12 | 3,77 | • | ▼ | • | • | ▼ |
| x 15 | 4,71 | • | ▼ | • | • | |
| x 20 | 6,28 | • | | | • | |
| x 25 | 7,85 | • | | | • | |
| x 30 | 9,42 | • | | | • | |
| 45 x 5 | 1,77 | | ▼ | | | |
| x 6 | 2,12 | | ▼ | | | |
| x 8 | 2,83 | | ▼ | | | |
| x 10 | 3,53 | • | ▼ | | | ▼ |
| x 12 | 4,24 | • | | | | |
| x 15 | 5,30 | • | | | | |
| 50 x 3 | 1,18 | | ▼ | | | ▼ |
| x 4 | 1,57 | | ▼ | ▼ | | ▼ |
| x 5 | 1,96 | • | ▼ | ▼ | • | ▼ |
| x 6 | 2,36 | • | ▼ | ▼ | • | ▼ |
| x 8 | 3,14 | • | ▼ | ▼ | • | ▼ |
| x 10 | 3,93 | • | ▼ | ▼ | • | ▼ |
| x 12 | 4,71 | • | ▼ | • | • | ▼ |
| x 15 | 5,89 | • | ▼ | • | • | |
| x 20 | 7,85 | • | | | • | |
| x 25 | 9,91 | • | | | • | |
| x 30 | 11,78 | • | | | • | |
| x 40 | 15,70 | • | | | • | |
| 60 x 3 | 1,41 | | ▼ | | | ▼ |
| x 4 | 1,88 | | ▼ | ▼ | | ▼ |
| x 5 | 2,36 | • | ▼ | ▼ | | ▼ |
| x 6 | 2,83 | • | ▼ | ▼ | • | ▼ |
| x 8 | 3,77 | • | ▼ | ▼ | • | ▼ |
| x 10 | 4,71 | • | ▼ | ▼ | • | ▼ |
| x 12 | 5,65 | • | ▼ | • | • | ▼ |
| x 15 | 7,07 | • | ▼ | • | • | |
| x 20 | 9,42 | • | | | • | |
| x 25 | 11,78 | • | | | • | |
| x 30 | 14,13 | • | | | • | |
| x 40 | 18,84 | • | | | • | |
| 65 x 8 | 4,08 | | ▼ | | | |
| x 10 | 5,10 | | ▼ | | | |
| 70 x 4 | 2,20 | | ▼ | | | |
| x 5 | 2,75 | • | ▼ | | | ▼ |
| x 6 | 3,30 | • | ▼ | | • | ▼ |

FLACHSTAHL, gew. geb./BANDSTAHL, geschn. DIN 1017



| Abmessung in mm | kg/m | 4301/304 | | | 4571/316 TI 4404/316 L | |
|--------------------|-------|----------|---------|--------------|---------------------------|-----|
| | | gew. | geschn. | geschl. K240 | | |
| 70 x 8 | 4,40 | • | ▼ | | | ▼ |
| x 10 | 5,50 | • | ▼ | | | • ▼ |
| x 12 | 6,59 | • | | | | • |
| x 15 | 8,24 | • | | | | • |
| x 20 | 10,99 | • | | | | • |
| x 25 | 13,70 | • | | | | |
| x 30 | 16,49 | • | | | | • |
| 75 x 5 | 2,94 | | ▼ | | | |
| 80 x 3 | 1,88 | | ▼ | | | ▼ |
| x 4 | 2,51 | | ▼ | | | ▼ |
| x 5 | 3,14 | • | ▼ | ▼ | | ▼ |
| x 6 | 3,77 | • | ▼ | ▼ | | ▼ |
| x 8 | 5,02 | • | ▼ | ▼ | • | • ▼ |
| x 10 | 6,26 | • | ▼ | ▼ | • | • ▼ |
| x 12 | 7,54 | • | ▼ | • | • | • |
| x 15 | 9,42 | • | ▼ | • | • | • |
| x 20 | 12,56 | • | | | • | • |
| x 25 | 15,70 | • | | | • | • |
| x 30 | 18,84 | • | | | • | • |
| x 40 | 25,12 | • | | | • | • |
| 90 x 5 | 3,53 | | ▼ | | | ▼ |
| x 6 | 4,24 | | ▼ | | | ▼ |
| x 8 | 5,56 | • | ▼ | | | ▼ |
| x 10 | 7,07 | • | ▼ | | | ▼ |
| x 12 | 8,48 | • | | | | |
| x 15 | 10,60 | • | | | | |
| 100 x 4 | 3,14 | | ▼ | | | |
| x 5 | 3,93 | • | ▼ | ▼ | | ▼ |
| x 6 | 4,71 | • | ▼ | | • | • ▼ |
| x 8 | 6,28 | • | ▼ | ▼ | • | • ▼ |
| x 10 | 7,85 | • | ▼ | ▼ | • | • ▼ |
| x 12 | 9,42 | • | ▼ | | • | • |
| x 15 | 11,78 | • | ▼ | | • | • |
| x 20 | 15,70 | • | | | • | • |
| x 25 | 19,63 | • | | | • | • |
| x 30 | 23,55 | • | | | • | • |
| x 40 | 31,40 | | ▼ | | | |
| 110 x 10 | 8,64 | | ▼ | | | ▼ |
| 120 x 5 | 4,71 | | ▼ | ▼ | | ▼ |
| x 6 | 5,65 | | ▼ | | | ▼ |
| x 8 | 7,54 | • | ▼ | ▼ | | • ▼ |
| x 10 | 9,42 | • | ▼ | ▼ | • | • ▼ |
| x 12 | 11,30 | • | | | • | • |
| x 15 | 14,13 | • | | | • | • |
| x 20 | 18,84 | • | | | • | • |
| x 30 | 28,26 | • | | | | |

FLACHSTAHL, gew. geb./BANDSTAHL, geschn. DIN 1017



| Abmessung in mm | kg/m | 4301/304 | | | 4571/316 TI 4404/316 L | |
|--------------------|-------|----------|---------|--------------|---------------------------|-----|
| | | gew. | geschn. | geschl. K240 | | |
| 130 x 8 | 8,16 | | ▼ | | | |
| x 10 | 10,20 | | ▼ | | | ▼ |
| 140 x 8 | 8,79 | • | | | | |
| x 10 | 10,99 | | ▼ | | | ▼ |
| 150 x 5 | 5,80 | | ▼ | | | |
| x 6 | 7,07 | | ▼ | | | ▼ |
| x 8 | 9,42 | | ▼ | | | ▼ |
| x 10 | 11,78 | • | ▼ | | | • ▼ |
| x 12 | 14,13 | • | | | | • ▼ |
| x 15 | 17,66 | • | | | | • |
| x 20 | 23,60 | • | | | | • |
| x 30 | 35,55 | • | | | | • |
| 160 x 10 | 12,56 | | ▼ | | | |
| 180 x 10 | 14,13 | | ▼ | | | ▼ |
| 200 x 10 | 15,70 | | ▼ | | | ▼ |

• = gew. ▼ = geschn. ■ = geschl. K240